

# HITPOINT

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C

## Piezo Electric Sounder PT-1250PQ

(RoHS)

DATE:2008.12.27


### 1. Electrical Characteristics

VER .: 2

Resonant Frequency (KHz)	5.0 ±0.5	
Operating Voltage (Vp-p/max)	25	
Rated Voltage (Vp-p)	5.0	
Current Consumption (mA/max)	1.5 at Rated Voltage	
Sound Pressure Level (dB/min)	80 at 10cm at Rated Voltage	
Capacitance (pF)	15,000 ± 30% at 120 HZ	
Operating Temperature (°C)	-20 ~ +90	
Storage Temperature (°C)	-30 ~ +100	
Condition by wave (°C)	260±5°C / within 5sec	
Condition by hand (°C)	350±20°C / within 5sec	

 $\overline{PS}$ :  $\overline{Vp-p} = 1/2 duty$ , square wave

## 2 . Typical Frequency Response Curve






# HITPOINT

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang,<br/>Taipei, Taiwan 24445 . R.O.C

### 3. Dimensions and Material

### 3-1 Shape



Unit: mm

### **3-2 Material**

Housing	ABS 777D plastic resin (Color : Black)	
Leading Pin	Tin Plated Brass	
Weight (Gram)	0.8	

## HITPOINT TEL:8862-26013311 FAX:8862-260138

FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C


### **4. TESTING METHOD**

#### · Standard Measurement conditions

Temperature:25 $\pm$ 2 C Humidity:45-60%

### · Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



### 5. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^\circ\!$	No abnormality
withstanding	should be returned to normal environment for 2 hours,	shall exist
	then re-proceed to test.	
Hotness	After 98 hours of being exposed to +100 ${\mathcal C}$	No abnormality
withstanding	environment, should be returned to normal environment	shall exist
	for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 ℃ 95%RH	No abnormality
withstanding	environment in actual operation, should be returned to	shall exist
	normal environment for 2 hours, then re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous operation.	No abnormality
	(at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the ground.	No abnormality
withstanding		shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm amplitude,	No abnormality
withstanding	applied in X, Y and Z directions for	shall exist
	30 minutes each.	



# HITPOINT

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

### 6. PACKAGE METHOD

< 1> 1100pcs per box , Total 10 boxes per carton , total 11000pcs carton; Volume: L\*W\*H=520\*335\*290mm

<2> N.W.: ; 10KGS; G.W.: 11KGS;

< 3 > RoHS Mark