


TECHNICAL INFORMATION of 18650 M26 (2.6Ah)

Contents

- 1. GENERAL INFORMATION**
- 2. DISCHARGE CHARACTERISTICS**

2015. 08. 13





Model 18650 M26

0.2C Capacity *	Nominal	2600mAh
	Minimum	2500 mAh
Max. Discharge Current		10A
Dimensions	Diameter	Max. 18.4mm
	Height	Max. 65.2 mm
Weight		Approx. 44.0 grams
Nominal Voltage		3.6V
Internal Impedance		≤ 60mOhm

* **Charge** : 1,250mAh, 4.2V, 50mA End-current (CC-CV)
Discharge : 500mAh, 2.75V End-voltage (CC)


Test Condition

Charge : CC-CV, 0.5C, 4.2V, end-current 50mA, 25±2℃

Discharge : CC, 0.2~2.0C, 2.75V cut-off, 25±2℃

Discharge rate		0.2 C	0.5 C	1.0C	1.5C	2.0C
Capacity	mAh	2602	2539	2513	2510	2521
	%	100	97.6	96.6	96.5	96.9
Energy	Wh	9.5	9.1	8.8	8.6	8.5
	%	100	96.2	92.9	90.8	89.3
Voltage	V	3.67	3.62	3.53	3.46	3.38

* All ratio's are calculated vs. 0.2C discharge capacity at 25±2℃ .

Discharge Profile

Test Condition :

Charge : CC-CV, 1.25A, 4.2V, 50mA cut off, $25\pm 2^{\circ}\text{C}$

Discharge : CC, 2.5A, end voltage 2.75V, $25\pm 2^{\circ}\text{C}$

