



Product/Process Change Notice - PCN 25_0067 Rev. -

Analog Devices, Inc. One Analog Way, Wilmington, MA 01887, USA

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. An acceptance or concern response should be submitted to ADI promptly. Any requests for samples of changed material or additional information must be made within 30 days of the notification. In accordance with JEDEC Standard 046, customers should acknowledge receipt of the PCN within 30 days of the PCN delivery. ADI contact information is listed below. Note: Revised fields are indicated by a red field name. See Appendix B for revision history.

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change. After the acknowledgment, a lack of additional requests within 90 days constitutes acceptance of the change.

PCN Title:	Update Data Sheet Regulatory Information for Select Data Isolator Products
Publication Date:	29-Oct-2025
Effectivity Date:	29-Oct-2025 <i>(the earliest date that a customer could expect to receive changed material)</i>
Revision Description:	Initial Release.

Description Of Change:

Update Data Sheet Information to Align with Regulatory Information and/or Insulation and Safety-Related Specifications.

Reason For Change:

Correct Data Sheet Information Regarding Regulatory Information and/or Insulation and Safety-Related Specifications (see attached).

Impact of the change (positive or negative) on fit, form, function & reliability:

No change in fit, form, function and reliability; these updates align data sheets with Agency Certificates.

Summary of Supporting Information:

See attached descriptions of compliance corrections.

Supporting Documents:

Attachment 1: Type: Datasheet Specification Comparison

ADI_PCN_25_0067_Rev_-_Data Sheet Updates - Isolated Data Products.pdf

Note: If applicable, the device material declaration will be updated due to material change.

ADI Contact Information:

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:	Europe:	Japan:	Korea:	Rest of Asia:
------------------	----------------	---------------	---------------	----------------------

Appendix A - Affected ADI Models:

Added Parts On This Revision - Product Family / Model Number (622)

ADUM1100 / ADUM1100AR	ADUM1100 / ADUM1100AR-RL7	ADUM1100 / ADUM1100ARZ	ADUM1100 / ADUM1100ARZ-RL7	ADUM1100 / ADUM1100BR
ADUM1100 / ADUM1100BR-RL7	ADUM1100 / ADUM1100BRZ	ADUM1100 / ADUM1100BRZ-RL7	ADUM1100 / ADUM1100UR	ADUM1100 / ADUM1100UR-RL7
ADUM1100 / ADUM1100URZ	ADUM1100 / ADUM1100URZ-RL7	ADUM110N / ADUM110N0BRZ	ADUM110N / ADUM110N0BRZ-RL7	ADUM110N / ADUM110N1BRZ
ADUM110N / ADUM110N1BRZ-RL7	ADUM1200 / ADUM1200AR	ADUM1200 / ADUM1200ARZ	ADUM1200 / ADUM1200ARZ-RL7	ADUM1200 / ADUM1200BR
ADUM1200 / ADUM1200BRZ	ADUM1200 / ADUM1200BRZ-RL7	ADUM1200 / ADUM1200CR	ADUM1200 / ADUM1200CRZ	ADUM1200 / ADUM1200CRZ-RL7
ADUM1200 / ADUM1200WSRZ	ADUM1200 / ADUM1200WSRZ-RL7	ADUM1200 / ADUM1200WTRZ	ADUM1200 / ADUM1200WTRZ-RL7	ADUM1200 / ADUM1200WURZ
ADUM1200 / ADUM1200WURZ-RL7	ADUM1201 / ADUM1201AR	ADUM1201 / ADUM1201AR-RL7	ADUM1201 / ADUM1201ARZ	ADUM1201 / ADUM1201ARZ-RL7
ADUM1201 / ADUM1201BR	ADUM1201 / ADUM1201BR-RL7	ADUM1201 / ADUM1201BRZ	ADUM1201 / ADUM1201BRZ-RL7	ADUM1201 / ADUM1201CR
ADUM1201 / ADUM1201CRZ	ADUM1201 / ADUM1201CRZ-RL7	ADUM1201 / ADUM1201WSRZ	ADUM1201 / ADUM1201WSRZ-RL7	ADUM1201 / ADUM1201WTRZ
ADUM1201 / ADUM1201WTRZ-RL7	ADUM1201 / ADUM1201WURZ	ADUM1201 / ADUM1201WURZ-RL7	ADUM120N / ADUM120N0BRZ	ADUM120N / ADUM120N0BRZ-RL7
ADUM120N / ADUM120N0BRZ	ADUM120N / ADUM120N0WBRZ-RL7	ADUM120N / ADUM120N1BRZ	ADUM120N / ADUM120N1BRZ-RL7	ADUM120N / ADUM120N1WBRZ
ADUM120N / ADUM120N1WBRZ-RL7	ADUM1210 / ADUM1210BRZ	ADUM1210 / ADUM1210BRZ-RL7	ADUM121N / ADUM121N0BRZ	ADUM121N / ADUM121N0BRZ-RL7
ADUM121N / ADUM121N0WBRZ	ADUM121N / ADUM121N0WBRZ-RL7	ADUM121N / ADUM121N1BRZ	ADUM121N / ADUM121N1BRZ-RL7	ADUM121N / ADUM121N1WBRZ
ADUM121N / ADUM121N1WBRZ-RL7	ADUM1240 / ADUM1240ARSZ	ADUM1240 / ADUM1240ARSZ-RL7	ADUM1240 / ADUM1240ARZ	ADUM1240 / ADUM1240ARZ-RL7
ADUM1241 / ADUM1241ARSZ	ADUM1241 / ADUM1241ARSZ-RL7	ADUM1241 / ADUM1241ARZ	ADUM1241 / ADUM1241ARZ-RL7	ADUM1245 / ADUM1245ARSZ
ADUM1245 / ADUM1245ARSZ-RL7	ADUM1245 / ADUM1245ARZ	ADUM1245 / ADUM1245ARZ-RL7	ADUM1246 / ADUM1246ARSZ	ADUM1246 / ADUM1246ARSZ-RL7
ADUM1246 / ADUM1246ARZ	ADUM1246 / ADUM1246ARZ-RL7	ADUM1300 / ADUM1300ARW	ADUM1300 / ADUM1300ARW-RL	ADUM1300 / ADUM1300ARWZ
ADUM1300 / ADUM1300ARWZ-RL	ADUM1300 / ADUM1300BRWZ	ADUM1300 / ADUM1300BRWZ-RL	ADUM1300 / ADUM1300CRWZ	ADUM1300 / ADUM1300CRWZ-RL
ADUM1300 / ADUM1300WSRWZ	ADUM1300 / ADUM1300WSRWZ-RL	ADUM1300 / ADUM1300WTRWZ	ADUM1300 / ADUM1300WTRWZ-RL	ADUM1301 / ADUM1301ARW
ADUM1301 / ADUM1301ARW-RL	ADUM1301 / ADUM1301ARWZ	ADUM1301 / ADUM1301ARWZ-RL	ADUM1301 / ADUM1301BRW	ADUM1301 / ADUM1301BRW-RL
ADUM1301 / ADUM1301BRWZ	ADUM1301 / ADUM1301BRWZ-RL	ADUM1301 / ADUM1301CRW	ADUM1301 / ADUM1301CRWZ	ADUM1301 / ADUM1301CRWZ-RL
ADUM1301 / ADUM1301WSRWZ	ADUM1301 / ADUM1301WSRWZ-RL	ADUM1301 / ADUM1301WTRWZ	ADUM1301 / ADUM1301WTRWZ-RL	ADUM130D / ADUM130D0BRWZ
ADUM130D / ADUM130D0BRWZ-RL	ADUM130D / ADUM130D0BRZ	ADUM130D / ADUM130D0BRZ-RL7	ADUM130D / ADUM130D1BRWZ	ADUM130D / ADUM130D1BRWZ-RL
ADUM130D / ADUM130D1BRZ	ADUM130D / ADUM130D1BRZ-RL7	ADUM130E / ADUM130E0BRWZ	ADUM130E / ADUM130E0BRWZ-RL	ADUM130E / ADUM130E0BRZ
ADUM130E / ADUM130E0BRZ-RL7	ADUM130E / ADUM130E1BRWZ	ADUM130E / ADUM130E1BRWZ-RL	ADUM130E / ADUM130E1BRZ	ADUM130E / ADUM130E1BRZ-RL7
ADUM1310 / ADUM1310ARWZ	ADUM1310 / ADUM1310ARWZ-RL	ADUM1310 / ADUM1310BRWZ	ADUM1310 / ADUM1310BRWZ-RL	ADUM1311 / ADUM1311ARWZ
ADUM1311 / ADUM1311ARWZ-RL	ADUM1311 / ADUM1311BRWZ	ADUM1311 / ADUM1311BRWZ-RL	ADUM131D / ADUM131D0BRWZ	ADUM131D / ADUM131D0BRWZ-RL
ADUM131D / ADUM131D0BRZ	ADUM131D / ADUM131D0BRZ-RL7	ADUM131D / ADUM131D1BRWZ	ADUM131D / ADUM131D1BRWZ-RL	ADUM131D / ADUM131D1BRZ
ADUM131D / ADUM131D1BRZ-RL7	ADUM131E / ADUM131E0BRWZ	ADUM131E / ADUM131E0BRWZ-RL	ADUM131E / ADUM131E0BRZ	ADUM131E / ADUM131E0BRZ-RL7
ADUM131E / ADUM131E1BRWZ	ADUM131E / ADUM131E1BRWZ-RL	ADUM131E / ADUM131E1BRZ	ADUM131E / ADUM131E1BRZ-RL7	ADUM1400 / ADUM1400ARW
ADUM1400 / ADUM1400ARW-RL	ADUM1400 / ADUM1400ARWZ	ADUM1400 / ADUM1400ARWZ-RL	ADUM1400 / ADUM1400BRW	ADUM1400 / ADUM1400BRW-RL
ADUM1400 / ADUM1400BRWZ	ADUM1400 / ADUM1400BRWZ-RL	ADUM1400 / ADUM1400CRW	ADUM1400 / ADUM1400CRWZ	ADUM1400 / ADUM1400CRWZ-RL
ADUM1400 / ADUM1400WSRWZ	ADUM1400 / ADUM1400WSRWZ-RL	ADUM1400 / ADUM1400WTRWZ	ADUM1400 / ADUM1400WTRWZ-RL	ADUM1401 / ADUM1401ARW
ADUM1401 / ADUM1401ARW-RL	ADUM1401 / ADUM1401ARWZ	ADUM1401 / ADUM1401ARWZ-RL	ADUM1401 / ADUM1401BRW	ADUM1401 / ADUM1401BRW-RL
ADUM1401 / ADUM1401BRWZ	ADUM1401 / ADUM1401BRWZ-RL	ADUM1401 / ADUM1401CRW	ADUM1401 / ADUM1401CRW-RL	ADUM1401 / ADUM1401CRWZ
ADUM1401 / ADUM1401CRWZ-RL	ADUM1401 / ADUM1401WSRWZ	ADUM1401 / ADUM1401WSRWZ-RL	ADUM1401 / ADUM1401WTRWZ	ADUM1401 / ADUM1401WTRWZ-RL
ADUM1402 / ADUM1402ARW	ADUM1402 / ADUM1402ARW-RL	ADUM1402 / ADUM1402ARWZ	ADUM1402 / ADUM1402ARWZ-RL	ADUM1402 / ADUM1402BRW
ADUM1402 / ADUM1402BRWZ	ADUM1402 / ADUM1402BRWZ-RL	ADUM1402 / ADUM1402CRW	ADUM1402 / ADUM1402CRWZ	ADUM1402 / ADUM1402CRWZ-RL
ADUM1402 / ADUM1402WSRWZ	ADUM1402 / ADUM1402WSRWZ-RL	ADUM1402 / ADUM1402WTRWZ	ADUM1402 / ADUM1402WTRWZ-RL	ADUM140D / ADUM140D0BRQZ
ADUM140D / ADUM140D0BRQZ-RL7	ADUM140D / ADUM140D0BRWZ	ADUM140D / ADUM140D0BRWZ-RL	ADUM140D / ADUM140D0BRZ	ADUM140D / ADUM140D0BRZ-RL7
ADUM140D / ADUM140D1BRQZ	ADUM140D / ADUM140D1BRQZ-RL7	ADUM140D / ADUM140D1BRWZ	ADUM140D / ADUM140D1BRWZ-RL	ADUM140D / ADUM140D1BRZ
ADUM140D / ADUM140D1BRZ-RL7	ADUM140E / ADUM140E0BRQZ	ADUM140E / ADUM140E0BRQZ-RL7	ADUM140E / ADUM140E0BRWZ	ADUM140E / ADUM140E0BRWZ-RL
ADUM140E / ADUM140E0BRZ	ADUM140E / ADUM140E0BRZ-RL7	ADUM140E / ADUM140E1BRQZ	ADUM140E / ADUM140E1BRQZ-RL7	ADUM140E / ADUM140E1BRWZ
ADUM140E / ADUM140E1BRWZ-RL	ADUM140E / ADUM140E1BRZ	ADUM140E / ADUM140E1BRZ-RL7	ADUM140E / ADUM140E1WBRWZ	ADUM140E / ADUM140E1WBRWZ-RL
ADUM1410 / ADUM1410ARWZ	ADUM1410 / ADUM1410ARWZ-RL	ADUM1410 / ADUM1410BRWZ	ADUM1410 / ADUM1410BRWZ-RL	ADUM1411 / ADUM1411ARWZ
ADUM1411 / ADUM1411ARWZ-RL	ADUM1411 / ADUM1411BRWZ	ADUM1411 / ADUM1411BRWZ-RL	ADUM1412 / ADUM1412ARWZ	ADUM1412 / ADUM1412ARWZ-RL
ADUM1412 / ADUM1412BRWZ	ADUM1412 / ADUM1412BRWZ-RL	ADUM141D / ADUM141D0BRQZ	ADUM141D / ADUM141D0BRQZ-RL7	ADUM141D / ADUM141D0BRWZ
ADUM141D / ADUM141D0BRWZ-RL	ADUM141D / ADUM141D0BRZ	ADUM141D / ADUM141D0BRZ-RL7	ADUM141D / ADUM141D1BRQZ	ADUM141D / ADUM141D1BRQZ-RL7
ADUM141D / ADUM141D1BRWZ	ADUM141D / ADUM141D1BRWZ-RL	ADUM141D / ADUM141D1BRZ	ADUM141D / ADUM141D1BRZ-RL7	ADUM141E / ADUM141E0BRQZ
ADUM141E / ADUM141E0BRQZ-RL7	ADUM141E / ADUM141E0BRWZ	ADUM141E / ADUM141E0BRWZ-RL	ADUM141E / ADUM141E0BRZ	ADUM141E / ADUM141E0BRZ-RL7
ADUM141E / ADUM141E0WBROZ	ADUM141E / ADUM141E0WBROZ-RL7	ADUM141E / ADUM141E1BRQZ	ADUM141E / ADUM141E1BRQZ-RL7	ADUM141E / ADUM141E1BRWZ
ADUM141E / ADUM141E1BRWZ-RL	ADUM141E / ADUM141E1BRZ	ADUM141E / ADUM141E1BRZ-RL7	ADUM141E / ADUM141E1WBROZ	ADUM141E / ADUM141E1WBROZ-RL7
ADUM141E / ADUM141E1WBROZ	ADUM141E / ADUM141E1WBROZ-RL	ADUM142D / ADUM142D0BRQZ	ADUM142D / ADUM142D0BRQZ-RL7	ADUM142D / ADUM142D0BRWZ
ADUM142D / ADUM142D0BRWZ-RL	ADUM142D / ADUM142D0BRZ	ADUM142D / ADUM142D0BRZ-RL7	ADUM142D / ADUM142D1BRQZ	ADUM142D / ADUM142D1BRQZ-RL7
ADUM142D / ADUM142D1BRWZ	ADUM142D / ADUM142D1BRWZ-RL	ADUM142D / ADUM142D1BRZ	ADUM142D / ADUM142D1BRZ-RL7	ADUM142E / ADUM142E0BRQZ
ADUM142E / ADUM142E0BRQZ-RL7	ADUM142E / ADUM142E0BRWZ	ADUM142E / ADUM142E0BRWZ-RL	ADUM142E / ADUM142E0BRZ	ADUM142E / ADUM142E0BRZ-RL7
ADUM142E / ADUM142E1BRQZ	ADUM142E / ADUM142E1BRQZ-RL7	ADUM142E / ADUM142E1BRWZ	ADUM142E / ADUM142E1BRWZ-RL	ADUM142E / ADUM142E1BRZ
ADUM142E / ADUM142E1BRZ-RL7	ADUM142E / ADUM142E1WBROZ	ADUM142E / ADUM142E1WBROZ-RL7	ADUM142E / ADUM142E1WBROZ	ADUM142E / ADUM142E1WBROZ-RL
ADUM2200 / ADUM2200ARIZ	ADUM2200 / ADUM2200ARIZ-RL	ADUM2200 / ADUM2200ARWZ	ADUM2200 / ADUM2200ARWZ-RL	ADUM2200 / ADUM2200BRIZ
ADUM2200 / ADUM2200BRIZ-RL	ADUM2200 / ADUM2200BRWZ	ADUM2200 / ADUM2200BRWZ-RL	ADUM2200 / ADUM2200WARWZ	ADUM2200 / ADUM2200WARWZ-RL
ADUM2200 / ADUM2200WBROZ	ADUM2200 / ADUM2200WBROZ-RL	ADUM2201 / ADUM2201ARIZ	ADUM2201 / ADUM2201ARIZ-RL	ADUM2201 / ADUM2201ARWZ
ADUM2201 / ADUM2201ARWZ-RL	ADUM2201 / ADUM2201BRIZ	ADUM2201 / ADUM2201BRIZ-RL	ADUM2201 / ADUM2201BRWZ	ADUM2201 / ADUM2201BRWZ-RL

ADUM2201 / ADUM2201WARWZ	ADUM2201 / ADUM2201WARWZ-RL	ADUM2201 / ADUM2201WBRWZ	ADUM2201 / ADUM2201WBRWZ-RL	ADUM2210 / ADUM2210SRIZ
ADUM2210 / ADUM2210SRIZ-RL	ADUM2210 / ADUM2210SRWZ	ADUM2210 / ADUM2210SRWZ-RL	ADUM2210 / ADUM2210TRIZ	ADUM2210 / ADUM2210TRIZ-RL
ADUM2210 / ADUM2210TRWZ	ADUM2210 / ADUM2210TRWZ-RL	ADUM2210 / ADUM2210WSRWZ	ADUM2210 / ADUM2210WSRWZ-RL	ADUM2210 / ADUM2210WTRWZ
ADUM2210 / ADUM2210WTRWZ-RL	ADUM2211 / ADUM2211SRIZ	ADUM2211 / ADUM2211SRIZ-RL	ADUM2211 / ADUM2211SRWZ	ADUM2211 / ADUM2211SRWZ-RL
ADUM2211 / ADUM2211TRIZ	ADUM2211 / ADUM2211TRIZ-RL	ADUM2211 / ADUM2211TRWZ	ADUM2211 / ADUM2211TRWZ-RL	ADUM2211 / ADUM2211WSRWZ
ADUM2211 / ADUM2211WSRWZ-RL	ADUM2211 / ADUM2211WTRWZ	ADUM2211 / ADUM2211WTRWZ-RL	ADUM2280 / ADUM2280ARIZ	ADUM2280 / ADUM2280ARIZ-RL
ADUM2280 / ADUM2280BRIZ	ADUM2280 / ADUM2280BRIZ-RL	ADUM2280 / ADUM2280CRIZ	ADUM2280 / ADUM2280CRIZ-RL	ADUM2281 / ADUM2281ARIZ
ADUM2281 / ADUM2281ARIZ-RL	ADUM2281 / ADUM2281BRIZ	ADUM2281 / ADUM2281BRIZ-RL	ADUM2281 / ADUM2281CRIZ	ADUM2281 / ADUM2281CRIZ-RL
ADUM2285 / ADUM2285ARIZ	ADUM2285 / ADUM2285ARIZ-RL	ADUM2285 / ADUM2285BRIZ	ADUM2285 / ADUM2285BRIZ-RL	ADUM2285 / ADUM2285CRIZ
ADUM2285 / ADUM2285CRIZ-RL	ADUM2286 / ADUM2286ARIZ	ADUM2286 / ADUM2286ARIZ-RL	ADUM2286 / ADUM2286BRIZ	ADUM2286 / ADUM2286BRIZ-RL
ADUM2286 / ADUM2286CRIZ	ADUM2286 / ADUM2286CRIZ-RL	ADUM230D / ADUM230D0BRIZ	ADUM230D / ADUM230D0BRIZ-RL	ADUM230D / ADUM230D0BRWZ
ADUM230D / ADUM230D0BRWZ-RL	ADUM230D / ADUM230D1BRIZ	ADUM230D / ADUM230D1BRIZ-RL	ADUM230D / ADUM230D1BRWZ	ADUM230D / ADUM230D1BRWZ-RL
ADUM230E / ADUM230E0BRIZ	ADUM230E / ADUM230E0BRIZ-RL	ADUM230E / ADUM230E0BRWZ	ADUM230E / ADUM230E0BRWZ-RL	ADUM230E / ADUM230E1BRIZ
ADUM230E / ADUM230E1BRIZ-RL	ADUM230E / ADUM230E1BRWZ	ADUM230E / ADUM230E1BRWZ-RL	ADUM231D / ADUM231D0BRIZ	ADUM231D / ADUM231D0BRIZ-RL
ADUM231D / ADUM231D0BRWZ	ADUM231D / ADUM231D0BRWZ-RL	ADUM231D / ADUM231D1BRIZ	ADUM231D / ADUM231D1BRIZ-RL	ADUM231D / ADUM231D1BRWZ
ADUM231D / ADUM231D1BRWZ-RL	ADUM231E / ADUM231E0BRIZ	ADUM231E / ADUM231E0BRIZ-RL	ADUM231E / ADUM231E0BRWZ	ADUM231E / ADUM231E0BRWZ-RL
ADUM231E / ADUM231E1BRIZ	ADUM231E / ADUM231E1BRIZ-RL	ADUM231E / ADUM231E1BRWZ	ADUM231E / ADUM231E1BRWZ-RL	ADUM2400 / ADUM2400ARIZ
ADUM2400 / ADUM2400ARWZ	ADUM2400 / ADUM2400ARWZ	ADUM2400 / ADUM2400ARWZ-RL	ADUM2400 / ADUM2400CRIZ	ADUM2400 / ADUM2400CRIZ-RL
ADUM2400 / ADUM2400BRWZ	ADUM2400 / ADUM2400BRWZ-RL	ADUM2400 / ADUM2400CRIZ	ADUM2401 / ADUM2401ARIZ	ADUM2400 / ADUM2400CRWZ
ADUM2400 / ADUM2400CRWZ-RL	ADUM2401 / ADUM2401ARIZ	ADUM2401 / ADUM2401ARIZ-RL	ADUM2401 / ADUM2401ARWZ	ADUM2401 / ADUM2401ARWZ-RL
ADUM2401 / ADUM2401BRIZ	ADUM2401 / ADUM2401BRIZ-RL	ADUM2401 / ADUM2401BRWZ	ADUM2401 / ADUM2401BRWZ-RL	ADUM2401 / ADUM2401CRIZ
ADUM2401 / ADUM2401CRIZ-RL	ADUM2401 / ADUM2401CRWZ	ADUM2401 / ADUM2401CRWZ-RL	ADUM2402 / ADUM2402ARIZ	ADUM2402 / ADUM2402ARIZ-RL
ADUM2402 / ADUM2402ARWZ	ADUM2402 / ADUM2402ARWZ-RL	ADUM2402 / ADUM2402BRIZ	ADUM2402 / ADUM2402BRIZ-RL	ADUM2402 / ADUM2402BRWZ
ADUM2402 / ADUM2402BRWZ-RL	ADUM2402 / ADUM2402CRIZ	ADUM2402 / ADUM2402CRIZ-RL	ADUM2402 / ADUM2402CRWZ	ADUM2402 / ADUM2402CRWZ-RL
ADUM240D / ADUM240D0BRIZ	ADUM240D / ADUM240D0BRIZ-RL	ADUM240D / ADUM240D0BRWZ	ADUM240D / ADUM240D0BRWZ-RL	ADUM240D / ADUM240D1BRIZ
ADUM240D / ADUM240D1BRIZ-RL	ADUM240D / ADUM240D1BRWZ	ADUM240D / ADUM240D1BRWZ-RL	ADUM240E / ADUM240E0BRIZ	ADUM240E / ADUM240E0BRIZ-RL
ADUM240E / ADUM240E0BRWZ	ADUM240E / ADUM240E0BRWZ-RL	ADUM240E / ADUM240E0BRWZ	ADUM240E / ADUM240E0BRWZ-RL	ADUM240E / ADUM240E1BRIZ
ADUM240E / ADUM240E1BRIZ-RL	ADUM240E / ADUM240E1BRWZ	ADUM240E / ADUM240E1BRWZ-RL	ADUM241D / ADUM241D0BRIZ	ADUM241D / ADUM241D0BRIZ-RL
ADUM241D / ADUM241D0BRWZ	ADUM241D / ADUM241D0BRWZ-RL	ADUM241D / ADUM241D1BRIZ	ADUM241D / ADUM241D1BRIZ-RL	ADUM241D / ADUM241D1BRWZ
ADUM241D / ADUM241D1BRWZ-RL	ADUM241E / ADUM241E0BRIZ	ADUM241E / ADUM241E0BRIZ-RL	ADUM241E / ADUM241E0BRWZ	ADUM241E / ADUM241E0BRWZ-RL
ADUM241E / ADUM241E1BRIZ	ADUM241E / ADUM241E1BRIZ-RL	ADUM241E / ADUM241E1BRWZ	ADUM241E / ADUM241E1BRWZ-RL	ADUM241E / ADUM241E1BRWZ
ADUM241E / ADUM241E1BRWZ-RL	ADUM242D / ADUM242D0BRIZ	ADUM242D / ADUM242D0BRIZ-RL	ADUM242D / ADUM242D0BRWZ	ADUM242D / ADUM242D0BRWZ-RL
ADUM242D / ADUM242D1BRIZ	ADUM242D / ADUM242D1BRIZ-RL	ADUM242D / ADUM242D1BRWZ	ADUM242D / ADUM242D1BRWZ-RL	ADUM242E / ADUM242E0BRIZ
ADUM242E / ADUM242E0BRIZ-RL	ADUM242E / ADUM242E0BRWZ	ADUM242E / ADUM242E0BRWZ-RL	ADUM242E / ADUM242E0BRWZ	ADUM242E / ADUM242E0BRWZ-RL
ADUM242E / ADUM242E1BRIZ	ADUM242E / ADUM242E1BRIZ-RL	ADUM242E / ADUM242E1BRWZ	ADUM242E / ADUM242E1BRWZ-RL	ADUM242E / ADUM242E1BRWZ
ADUM3100 / ADUM3100ARZ-RL7	ADUM3100 / ADUM3100BRZ	ADUM3100 / ADUM3100BRZ-RL7	ADUM3200 / ADUM3200ARZ	ADUM3100 / ADUM3100ARZ
ADUM3200 / ADUM3200BRZ	ADUM3200 / ADUM3200BRZ-RL7	ADUM3200 / ADUM3200CRZ	ADUM3200 / ADUM3200CRZ-RL7	ADUM3200 / ADUM3200WARZ
ADUM3200 / ADUM3200WARZ-RL7	ADUM3200 / ADUM3200WBZ	ADUM3200 / ADUM3200WBZ-RL7	ADUM3200 / ADUM3200WCRZ	ADUM3200 / ADUM3200WCRZ-RL7
ADUM3201 / ADUM3201ARZ	ADUM3201 / ADUM3201ARZ-RL7	ADUM3201 / ADUM3201BRZ	ADUM3201 / ADUM3201BRZ-RL7	ADUM3201 / ADUM3201CRZ
ADUM3201 / ADUM3201CRZ-RL7	ADUM3201 / ADUM3201WARZ	ADUM3201 / ADUM3201WARZ-RL7	ADUM3201 / ADUM3201WBRZ	ADUM3201 / ADUM3201WBRZ-RL7
ADUM3201 / ADUM3201WCRZ	ADUM3201 / ADUM3201WCRZ-RL7	ADUM3300 / ADUM3300ARWZ	ADUM3300 / ADUM3300ARWZ-RL	ADUM3300 / ADUM3300BRWZ
ADUM3300 / ADUM3300BRWZ-RL	ADUM3300 / ADUM3300CRWZ	ADUM3300 / ADUM3300CRWZ-RL	ADUM3300 / ADUM3300CRWZ	ADUM3300 / ADUM3300CRWZ-RL
ADUM3300 / ADUM3300WBWZ	ADUM3300 / ADUM3300WBWZ-RL	ADUM3301 / ADUM3301ARWZ	ADUM3301 / ADUM3301ARWZ-RL	ADUM3301 / ADUM3301BRWZ
ADUM3301 / ADUM3301BRWZ-RL	ADUM3301 / ADUM3301CRWZ	ADUM3301 / ADUM3301CRWZ-RL	ADUM3301 / ADUM3301CRWZ	ADUM3301 / ADUM3301CRWZ-RL
ADUM3301 / ADUM3301WBWZ	ADUM3301 / ADUM3301WBWZ-RL	ADUM3400 / ADUM3400ARWZ	ADUM3400 / ADUM3400ARWZ-RL	ADUM3301 / ADUM3301WARWZ
ADUM3400 / ADUM3400BRWZ-RL	ADUM3400 / ADUM3400CRWZ	ADUM3400 / ADUM3400CRWZ-RL	ADUM3400 / ADUM3400CRWZ	ADUM3400 / ADUM3400BRWZ
ADUM3400 / ADUM3400WBWZ	ADUM3400 / ADUM3400WBWZ-RL	ADUM3401 / ADUM3401ARWZ	ADUM3401 / ADUM3401ARWZ-RL	ADUM3400 / ADUM3400WARWZ-RL
ADUM3401 / ADUM3401BRWZ-RL	ADUM3401 / ADUM3401CRWZ	ADUM3401 / ADUM3401CRWZ-RL	ADUM3401 / ADUM3401CRWZ	ADUM3401 / ADUM3401BRWZ
ADUM3401 / ADUM3401WBWZ	ADUM3401 / ADUM3401WBWZ-RL	ADUM3402 / ADUM3402ARWZ	ADUM3402 / ADUM3402ARWZ-RL	ADUM3401 / ADUM3401WARWZ-RL
ADUM3402 / ADUM3402BRWZ-RL	ADUM3402 / ADUM3402CRWZ	ADUM3402 / ADUM3402CRWZ-RL	ADUM3402 / ADUM3402CRWZ	ADUM3402 / ADUM3402BRWZ
ADUM3402 / ADUM3402WBWZ	ADUM3402 / ADUM3402WBWZ-RL	ADUM4400 / ADUM4400ARIZ	ADUM4400 / ADUM4400ARIZ-RL	ADUM3402 / ADUM3402WARWZ-RL
ADUM4400 / ADUM4400ARWZ-RL	ADUM4400 / ADUM4400BRIZ	ADUM4400 / ADUM4400BRIZ-RL	ADUM4400 / ADUM4400BRWZ	ADUM4400 / ADUM4400ARWZ
ADUM4400 / ADUM4400CRIZ	ADUM4400 / ADUM4400CRIZ-RL	ADUM4400 / ADUM4400CRWZ	ADUM4400 / ADUM4400CRWZ-RL	ADUM4400 / ADUM4400BRWZ-RL
ADUM4400 / ADUM4400WARWZ-RL	ADUM4400 / ADUM4400WBWZ	ADUM4400 / ADUM4400WBWZ-RL	ADUM4401 / ADUM4401ARIZ	ADUM4400 / ADUM4400WARWZ
ADUM4401 / ADUM4401ARWZ	ADUM4401 / ADUM4401ARWZ-RL	ADUM4401 / ADUM4401BRIZ	ADUM4401 / ADUM4401BRIZ-RL	ADUM4401 / ADUM4401ARIZ-RL
ADUM4401 / ADUM4401BRWZ-RL	ADUM4401 / ADUM4401CRIZ	ADUM4401 / ADUM4401CRIZ-RL	ADUM4401 / ADUM4401CRWZ	ADUM4401 / ADUM4401BRWZ
ADUM4401 / ADUM4401WARWZ	ADUM4401 / ADUM4401WARWZ-RL	ADUM4401 / ADUM4401WBWZ	ADUM4401 / ADUM4401WBWZ-RL	ADUM4401 / ADUM4401CRWZ-RL
ADUM4402 / ADUM4402ARIZ-RL	ADUM4402 / ADUM4402ARWZ	ADUM4402 / ADUM4402ARWZ-RL	ADUM4402 / ADUM4402BRIZ	ADUM4402 / ADUM4402ARIZ
ADUM4402 / ADUM4402BRWZ	ADUM4402 / ADUM4402BRWZ-RL	ADUM4402 / ADUM4402CRIZ	ADUM4402 / ADUM4402CRIZ-RL	ADUM4402 / ADUM4402BRIZ-RL
ADUM4402 / ADUM4402CRWZ-RL	ADUM4402 / ADUM4402WARWZ	ADUM4402 / ADUM4402WARWZ-RL	ADUM4402 / ADUM4402WBWZ	ADUM4402 / ADUM4402CRWZ
ADUM7440 / ADUM7440ARQZ	ADUM7440 / ADUM7440ARQZ-RL7	ADUM7440 / ADUM7440CRQZ	ADUM7440 / ADUM7440CRQZ-RL7	ADUM4402 / ADUM4402WBWZ-RL
ADUM7441 / ADUM7441ARQZ-RL7	ADUM7441 / ADUM7441CRQZ	ADUM7441 / ADUM7441CRQZ-RL7	ADUM7442 / ADUM7442ARQZ	ADUM7441 / ADUM7441ARQZ
ADUM7442 / ADUM7442CRQZ	ADUM7442 / ADUM7442CRQZ-RL7			ADUM7442 / ADUM7442ARQZ-RL7

Appendix B - Revision History:

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	29-Oct-2025	29-Oct-2025	Initial Release.



Update Data Sheet Regulatory Information for Select Digital Isolator Products

ADuM1100 - iCoupler Digital Isolator



Change Description	Changed From:	Changed To:
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) & Minimum External Tracking (Creepage) in Table 6 with the agency certified meaurement.	Creepage 4.01 Clearance 4.90 Datasheet Rev. K	Creepage 4.0 Clearance 4.0 Datasheet Rev. L

ADuM1200/ADuM1201 - Dual-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) & Minimum External Tracking (Creepage) in Table 10 with the agency certified measurement.	Creepage 4.01 Clearance 4.90 Datasheet Rev. K	Creepage 4.0 Clearance 4.0 Datasheet Rev. L

ADuM1210 - Dual-Channel Digital Isolator



Change Description	Changed From:	Changed To:
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) & Minimum External Tracking (Creepage) in Table 6 with the agency certified measurement.	Creepage 4.01 Clearance 4.90 Datasheet Rev. D	Creepage 4.0 Clearance 4.0 Datasheet Rev. E

ADuM1240/ADuM1241/ADuM1245/ADuM1246 - Micropower, Dual-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the IEC/CSA 62368-1 basic and reinforced insulation ratings specifed in Table 12 with the agency issued certified rating.	RS-20 Package IEC/CSA 60950-1 Basic insulation 530 V rms Reinforced insulation 265 V rms R-8 Package Basic insulation 400 V rms Datasheet Rev. B	RS-20 Package IEC/CSA 62368-1 Basic insulation 510 V rms Reinforced insulation 255 V rms R-8 Package Basic insulation 300 V rms Datasheet Rev. C

ADuM1300/ADuM1301 - Triple-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: EN60950-1 TUV reinforced insulation rating specified in Table 9 Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Tracking (Creepage) in Table 10 with the agency certified meaurement.	EN60950-1 TUV Rating: Reinforced insulation 400 V rms Creepage: 8.1 Datasheet Rev. L	EN60950-1 TUV Rating: Reinforced insulation 385 V rms Creepage: 7.8 Datasheet Rev. M

ADuM1310/ADuM1311 - Triple-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Tracking (Creepage) in Table 6 with the agency certified measurement. UL 1577 Single Protection ratings specified in Table 5 IEC / EN / CSA 62368-1 Basic and Reinforced Insulation ratings specified in Table 5	Creepage 8.1 UL 1577 Single Protection (VISO) 3750 V rms CSA 60950-1-03 and IEC 60950-1 Basic Insulation, 800 V rms Reinforced Insulation, 400 V rms Datasheet Rev. K	Creepage 7.8 UL 1577 Single Protection (VISO) 2500 V rms IEC / EN / CSA 62368-1 Basic Insulation, 600 V rms Reinforced Insulation, 150 V rms Datasheet Rev. L

ADuM1400/ADuM1401/ADuM1402 - Quad-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings:	CSA C22.2.61010.1:2005 TUV Rating: Reinforced insulation, 400 Vrms	EN60950-1 TUV Rating: Reinforced insulation, 385 Vrms
EN60950-1 TUV reinforced insulation rating specifed in Table 9	Datasheet Rev. L	Datasheet Rev. M

ADuM1410/ADuM1411/ADuM1412 - Quad-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: UL 1577 Single Protection (VISO) ratings specified in Table 5 IEC / EN / CSA 62368-1 Basic and Reinforced Insulation ratings specified in Table 5	UL 1577 Single Protection (VISO) 3750 V rms CSA 60950-1-03 and IEC 60950-1 Basic Insulation, 800 V rms Reinforced Insulation, 400 V rms Datasheet Rev. M	UL 1577 Single Protection (VISO) 2500 V rms IEC / EN / CSA 62368-1 Basic Insulation, 600 V rms Reinforced Insulation, 150 V rms Datasheet Rev. N

ADuM2200/ADuM2201 - Dual-Channel Digital Isolators, 5 kV



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings:	RW-16 Clearance: 8.0	RW-16 Clearance: 7.8
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) in Table 15 with the agency certified meaurement. (RW-16)	VDE/VDE 0884-10 $V_{IORM} = 848 V_{peak}$	VDE/VDE 0884-17 $V_{IORM} = 645 V_{peak}$
VDE 0884-17 V_{IORM} reinforced rating specifed in Tables 14 and 16 (both packages)	RI-16-2 VDE/VDE 0884-10 $V_{IORM} = 848 V_{peak}$	RI-16-2 VDE/VDE 0884-17 $V_{IORM} = 645 V_{peak}$
	Datasheet Rev. G	Datasheet Rev. H

ADuM2210/ADuM2211 - Dual-Channel Digital Isolators, 5 kV



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) in Table 15 with the agency certified meaurement. (RW-16) VDE V 0884-17 V_{IORM} reinforced rating specifed in Tables 14 and 16 (both packages)	RW-16 Clearance: 8.0 VDE/VDE 0884-10 V_{IORM} = 848 Vpeak RI-16-2 VDE/VDE 0884-10 V_{IORM} = 848 Vpeak Datasheet Rev. F	RW-16 Clearance: 7.8 VDE/VDE 0884-17 V_{IORM} = 645 Vpeak RI-16-2 VDE/VDE 0884-17 V_{IORM} = 645 Vpeak Datasheet Rev. G

ADuM2280/ADuM2281/ADuM2285/ADuM2286 - 5 kV RMS Dual Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section will be updated to correctly align the following ratings to agency issued certified ratings:	VDE/VDE 0884-10 $V_{IORM} = 846 V_{peak}$	VDE/VDE 0884-17 $V_{IORM} = 645 V_{peak}$
DE/VDE 0884-17 V_{IORM} reinforced rating specified in Tables 14, 16	Datasheet Rev. C	Datasheet Rev. D

ADuM2400/ADuM2401/ADuM2402 - Quad-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: CQC/ GB4943.1 basic and reinforced insulation ratings specifed in Table 5 (RI-16-2) Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) in Table 6 with the agency certified meaurement. (RW-16) VDE 0884-17 V_{IORM} reinforced rating specifed in Table 7	RI-16-2 CQC/GB4943.1 Reinforced insulation 400 V rms RW-16 Clearance: 8.0 VDE 0884-10 V_{IORM} = 846 Vpeak Datasheet Rev. G	RI-16-2 CQC/GB4943.1 Reinforced insulation 380 V rms RW-16 Clearance: 7.8 VDE 0884-17 V_{IORM} = 645 Vpeak Datasheet Rev. H

ADuM3100 - Digital Isolator, Enhanced System-Level ESD Reliability



Change Description	Changed From:	Changed To:
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) & Minimum External Tracking (Creepage) in Table 6 with the agency certified measurement.	Creepage 4.01 Clearance 4.90 Datasheet Rev. D	Creepage 4.0 Clearance 4.0 Datasheet Rev. E

ADuM3200/ADuM3201 - Dual-Channel, Digital Isolators, Enhanced System-Level ESD Reliability



Change Description	Changed From:	Changed To:
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) & Minimum External Tracking (Creepage) in Table 27 with the agency certified measurement.	Clearance 4.90 Creepage 4.01 Datasheet Rev. F	Clearance 4.0 Creepage 4.0 Datasheet Rev. G

ADuM3300/ADuM3301 - Triple-Channel, Digital Isolators, Enhanced System-Level ESD Reliability



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: CQC/GB4943.1 basic and reinforced insulation ratings specifed in Tables 5 Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Tracking (Creepage) in Table 6 with the agency certified meaurement.	CQC/GB4943.1 Basic insulation 760 V rms Reinforced insulation 380 V rms Creepage: 8.1 Datasheet Rev. E	CQC/GB4943.1 Basic insulation 600 V rms Reinforced insulation 150 V rms Creepage: 7.8 Datasheet Rev. F

ADuM3400/ADuM3401/ADuM3402 - Quad-Channel, Digital Isolators, Enhanced System-Level ESD Reliability



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings:	Creepage: 8.1	Creepage: 7.8
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Tracking (Creepage) in Table 6 with the agency certified meaurement.	IEC / CSA 60950-1 Basic insulation, 800 Vrms Reinforced insulation, 400 Vrms	IEC / CSA 62368-1 Basic insulation, 600 Vrms Reinforced insulation, 150 Vrms
IEC / CSA 62368-1 Basic and Reinforced Insulation ratings specified in Tables 5	Datasheet Rev. F	Datasheet Rev. G

ADuM4400/ADuM4401/ADuM4402 - 5 kV RMS Quad-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) in Table 15 with the agency certified meaurement.	Clearance: 8.0 Datasheet Rev. F	Clearance: 7.8 Datasheet Rev. G

ADuM110N - 3.0 kV RMS, Single-Channel Digital Isolator



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the IEC/CSA 61010 reinforced insulation rating specified in Table 11 with the agency issued certified rating.	IEC/CSA 61010-1 Reinforced insulation 300 V rms Datasheet Rev. B	IEC/CSA 61010-1 Reinforced insulation 150 V rms Datasheet Rev. C

ADuM120N/ADuM121N - 3.0 kV rms, Dual-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the IEC/CSA 61010 reinforced insulation rating specified in Table 11 with the agency issued certified rating.	IEC/CSA 61010-1 Reinforced insulation 300 V rms Datasheet Rev. E	IEC/CSA 61010-1 Reinforced insulation 150 V rms Datasheet Rev. F

ADuM130D/ADuM130E/ADuM131D/ADuM131E - 3.0 kV RMS/3.75 kV RMS Triple-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: CQC/GB4943.1 basic and reinforced insulation ratings specifed in both Tables 12 & 13. VDE/VDE 0884-17 V_{IORM} reinforced rating specifed in Table 13.	R-16 Package CQC/GB4943.1 Basic insulation 770 V rms Reinforced insulation 385 V rms RW-16 Package CQC/GB4943.1 Basic insulation 780 V rms Reinforced insulation 390 V rms VDE 0884-10 $V_{IORM} = 849 V_{peak}$ Datasheet Rev. A	R-16 Package CQC/GB4943.1 Basic insulation 400 V rms Removed RW-16 Package CQC/GB4943.1 Basic insulation 760 V rms Reinforced insulation 380 V rms VDE 0884-17 $V_{IORM} = 565 V_{peak}$ Datasheet Rev. B

ADuM140D/ADuM140E/ADuM141D/ADuM141E/ADuM142D/ADuM142E - 3.0 kV RMS/3.75 kV RMS Quad Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings: IEC/CSA 61010-1 reinforced insulation rating specifed in Table 13 CQC/GB4943.1 basic and reinforced insulation ratings specifed in Tables 13,14 & 15 VDE/VDE 0884-17 VIORM reinforced rating specifed in Tables 13, 14 & 15. IEC/CSA 60601-1 basic (1MOPP) insulation rating specifed in Table 15. DIN V VDE V 0884-17(VDE V 0884-17) INSULATION CHARACTERISTICS section updated to correctly align the VIOTM rating specifed in Table 17 with the agency issued certified rating.	R-16 Package IEC/CSA 61010-1 Reinforced insulation 300 V rms CQC/GB4943.1 Basic insulation 770 V rms Reinforced insulation 385 V rms RQ-16 Package CQC/GB4943.1 Basic insulation 320 V rms Reinforced insulation 160 V rms RW-16 Package VDE 0884-11 VIORM = 849 Vpeak CQC/GB4943.1 Basic insulation 780 V rms Reinforced insulation 390 V rms Datasheet Rev. J	R-16 Package IEC/CSA 61010-1 Removed CQC/GB4943.1 Basic insulation 400 V rms Removed RQ-16 Package CQC/GB4943.1 Basic insulation 320 V rms Removed RW-16 Package VDE 0884-17 VIORM = 565 Vpeak CQC/GB4943.1 Basic insulation 760 V rms Reinforced insulation 380 V rms Datasheet Rev. K

ADuM230D/ADuM230E/ADuM231D/ADuM231E - 5.0 kV RMS Triple Channel Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section will be updated to correctly align the following ratings to agency issued certified ratings: IEC/CSA 60601-1 reinforced insulation rating specified in Table 12 (RW-16) & Table 13 (RI-16-2)	RW-16 Package IEC/CSA 60601-1 Reinforced insulation (2 MOPP), 238 Vrms RI-16-2 Package IEC/CSA 60601-1 Basic insulation (1 MOPP), 519 Vrms Reinforced insulation (2 MOPP), 261 Vrms Datasheet Rev. B	RW-16 Package IEC/CSA 60601-1 Reinforced insulation (2 MOPP), 237.5 Vrms RI-16-2 Package IEC/CSA 60601-1 Basic insulation (1 MOPP), 500 Vrms Reinforced insulation (2 MOPP), 250 Vrms Datasheet Rev. C

ADuM240D/ADuM240E/ADuM241D/ADuM241E/ADuM242D/ADuM242E - 5.0 kV rms Quad Digital Isolators



Change Description	Changed From:	Changed To:
Regulatory Information section will be updated to correctly align the following ratings to agency issued certified ratings: IEC/CSA 60601-1 reinforced insulation rating specified in Table 12 (RW-16) & Table 13 (RI-16-2)	RW-16 Package IEC/CSA 60601-1 Reinforced insulation (2 MOPP), 238 Vrms RI-16-2 Package IEC/CSA 60601-1 Basic insulation (1 MOPP), 519 Vrms Reinforced insulation (2 MOPP), 261 Vrms Datasheet Rev. D	RW-16 Package IEC/CSA 60601-1 Reinforced insulation (2 MOPP), 237.5 Vrms RI-16-2 Package IEC/CSA 60601-1 Basic insulation (1 MOPP), 500 Vrms Reinforced insulation (2 MOPP), 250 Vrms Datasheet Rev. E

ADuM7440/ADuM7441/ADuM7442 - 1 kV RMS Quad-Channel Digital Isolators



Change Description	Changed From:	Changed To:
Insulation and Safety-Related Specifications section updated to correctly align the specified Minimum External Air Gap (Clearance) in Table 15 with the agency certified meaurement.	Clearance 3.80 Datasheet Rev. D	Clearance 3.55 Datasheet Rev. E