

ESP32-PICO-V3 系列产品新增内置 Flash 备选物料																		
Add New Alternative In-package Flash Source on ESP32-PICO-V3 Series Products																		
PCN 编号 PCN No.	PCN20260303	提出日期 Issue Date of PCN	2026/03/19															
变更日期 Proposed Date of Change	2026/05/19	预计变更后产品首次出货日期 Proposed Date of First Shipment After Change	2026/06/30															
PCN 类型 PCN Category	☐ 客户需要批准/ Customer Approval Required ☒ 客户通知/ Customer Notification																	
1. 影响物料编码/ Affected Part Number																		
<table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th style="width: 33%;">Product Type</th><th style="width: 33%;">Part Number</th><th style="width: 34%;">Chip on Board</th></tr></thead><tbody><tr><td>Chip SiP</td><td>ESP32-PICO-V3</td><td>/</td></tr><tr><td>Module</td><td>ESP32-PICO-V3-ZERO</td><td>ESP32-PICO-V3</td></tr><tr><td>Development Board</td><td>ESP32-PICO-KIT-1</td><td>ESP32-PICO-V3</td></tr><tr><td>Development Board</td><td>ESP32-PICO-V3-ZERO-DevKit</td><td>ESP32-PICO-V3</td></tr></tbody></table>				Product Type	Part Number	Chip on Board	Chip SiP	ESP32-PICO-V3	/	Module	ESP32-PICO-V3-ZERO	ESP32-PICO-V3	Development Board	ESP32-PICO-KIT-1	ESP32-PICO-V3	Development Board	ESP32-PICO-V3-ZERO-DevKit	ESP32-PICO-V3
Product Type	Part Number	Chip on Board																
Chip SiP	ESP32-PICO-V3	/																
Module	ESP32-PICO-V3-ZERO	ESP32-PICO-V3																
Development Board	ESP32-PICO-KIT-1	ESP32-PICO-V3																
Development Board	ESP32-PICO-V3-ZERO-DevKit	ESP32-PICO-V3																
2. 变更原因/ Reason for Change 为避免单一原材料的供货风险，提升供应稳定性，乐鑫已完成新 flash 物料在 ESP32-PICO-V3 系列产品上的验证测试，确认新 flash 物料符合产品规格要求。因此，决定导入新 flash 作为上述产品内置 flash 备选物料。 To reduce single-source supply risk and improve supply stability, Espressif has qualified a new flash source for the ESP32-PICO-V3 series products, confirming that it meets product specifications. The new flash will be introduced as an alternative in-package flash option for these products.																		
3. 变更描述/ Description of Change ESP32-PICO-V3 系列产品增加内置 flash 备选物料。 Add new alternative in-package flash source on ESP32-PICO-V3 series products.																		
4. 变更对比/ Change Comparison 请见附录 I：变更对比。 Please refer to Appendix I: Change Comparison.																		

5. 变更影响/ Impact of Change**1) 品质和性能/ Quality & Performance:**

新内置 flash 已经通过了物料验证测试，乐鑫确认其品质和性能满足乐鑫产品技术要求。

The new in-package flash has passed the material qualification test, and Espressif confirms that its quality and performance meet Espressif's product specification.

2) 交期/ Delivery: 无影响/ No impact**3) 物料编码/ Part Number: 无影响/ No impact****4) 软件/ Software:**

基于通用 ESP-IDF 使用，无影响。如使用第三方 SDK 或自定义 SPI flash 驱动，请联系乐鑫。

No impact when using the official ESP-IDF. If using a third-party SDK or a custom SPI flash driver, please contact Espressif.

5) 认证/ Certification: 无影响/ No impact**6) 技术规格书/ Datasheet: 无影响且无需更新/ No impact and need no change****6. 变更前后产品处理/ How to Deal with Products**

FIFO

7. 相关报告/ Related Report(s)

☒ Material Qualification Report

编号 No.	测试项目 Test Item	测试结果 Test Result
1	运行模式测试 Operation Mode Test	Pass
2	Deep-sleep 唤醒测试 Wake up from Deep-sleep Test	Pass
3	掉电测试 Powerdown Test	Pass
4	Wi-Fi OTA 测试 Wi-Fi OTA Test	Pass
5	高低温读写测试 High-Low Temp. Read/Write	Pass
6	高温批量读写测试	Pass

	High Temp. Read/Write (Batch)	
--	-------------------------------	--

☒Environment Related Report (RoHS / REACH)

更新后的产品符合 RoHS 标准和 REACH 标准。

Products after change meet the RoHS and REACH requirements.

Appendix I 变更对比/ Change Comparison

项目/ Item	变更前/ Before Change	变更后/ After Change
In-package Flash	flash A	Add flash B
Part Number (No Changes)	See Product List in Para 1	See Product List in Para 1
Flash Operating Voltage	2.7 V ~ 3.6 V	2.3 V ~ 3.6 V
	All the affected products should work at 3.0 V ~ 3.6 V, so all types of flash meet the requirements.	
Chip Typical Power Supply Voltage (No Changes)	3.3 V	3.3 V
Flash Capacity (No Changes)	4 MB	4 MB
Flash Page Program Time (Typ. / Max)	0.5 ms/2.4 ms	0.25 ms/ 2 ms
Flash Sector Erase Time (4KB) (Typ. / Max)	45 ms/ 300 ms	25 ms / 300 ms
Flash Block Erase Time (32KB) (Typ. / Max)	0.15 s / 1.2 s	0.1 s / 0.8 s
Flash Block Erase Time (64KB) (Typ. / Max)	0.25 s / 1.6 s	0.15 s / 1 s
Flash Chip Erase Time (Typ. / Max)	12 s / 30 s	5 s / 50 s

邮件订阅**Espressif Email Notifications**

乐鑫为注册用户提供电子邮件通知服务，用户可通过[乐鑫订阅系统](#)接收技术文档更新、新闻通讯、PCN 等邮件通知。

Espressif sends email notifications of technical documentation changes, along with newsletters, PCNs and other valuable information, to subscribed customers only. If you wish to stay updated on our products and services, please subscribe [here](#).

客户响应要求**Customer Response Requirements****需客户批准的变更/ Change Requiring Customer Approval:**

- a) 客户须在乐鑫发出 PCN 后的 30 天内告知乐鑫已收到 PCN。如客户未在接收到 PCN 后的 30 天内告知已收到，则视为客户收到变更。

Customers are requested to acknowledge receipt of the PCN within 30 calendar days from the date of issue of the PCN. Customers would be considered as notified 30 calendar days after issue of the PCN if no acknowledgement is received.

- b) 自发布 PCN 之日起 90 天内，客户没有任何其他反馈，则表示客户接受该 PCN。

The lack of any additional responses from customers within 90 calendar days from the date of issue of the PCN constitutes acceptance of the proposed changes.

客户通知/ Customer Notification:

- a) 客户需在乐鑫发出 PCN 后 14 天内通知乐鑫收到该 PCN。如客户未在接收到 PCN 14 日反馈乐鑫，则视为客户确认该 PCN。

Customers are requested to acknowledge receipt of the PCN within 14 calendar days from the date of issue of the PCN. Customers would be considered as having acknowledged the PCN if no response is received after 14 calendar days.

请反馈至

Please send feedback to

客户批准/确认信息**Customer Approval / Acknowledgement and Remarks**

客户公司全称:

Customer's Company Name:

PCN 评审结果

PCN Review Result

☐ 批准/确认 Accepted / Acknowledged

☐ 不批准 Rejected

☐ 需要分析 Further Analysis Required

客户意见/ Comment:

公司代表人姓名

Representative's Name

公司代表人职责

Representative's Job
Title

公司代表人签名

Representative's
Signature

日期

Date